

**Order** 1732  
**Project** Adelong

<b>Sample Name</b>	SE231480.001	SE231480.002	SE231480.003	SE231480.004	SE231480.005
<b>Description</b>	EPL #11	EPL #12	EPL #13	EPL #14	EPL #15
<b>Sample Date</b>	27/4/2022	27/4/2022	27/4/2022	27/4/2022	27/4/2022
<b>Matrix</b>	Water	Water	Water	Water	Water

<b>Job Number</b>	<b>Method Name</b>	<b>Analyte Name</b>	<b>Units</b>	<b>Reporting Limit</b>	<b>Result</b>	<b>Result</b>	<b>Result</b>	<b>Result</b>	<b>Result</b>
SE231480	Dust in Air (Deposited Matter)	Sampling Period in C days		0	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>
SE231480	Dust in Air (Deposited Matter)	Total Insoluble Solid: mg		1	<b>29</b>	<b>22</b>	<b>2</b>	<b>3</b>	<b>4</b>
SE231480	Dust in Air (Deposited Matter)	Total Insoluble Solid: g/m <sup>2</sup> /30		0.1	<b>1.6</b>	<b>1.2</b>	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>